

# Package: files (via r-universe)

September 11, 2024

**Title** Effective File Navigation from the R Console

**Version** 0.0.1

**Description** Functions for printing the contents of a folder as columns in a ragged-bottom data.frame and for viewing the details (size, time created, time modified, etc.) of a folder's top level contents.

**Depends** R (>= 3.3.1)

**License** GPL-3

**Encoding** UTF-8

**LazyData** true

**RoxygenNote** 5.0.1

**Repository** <https://gitronald.r-universe.dev>

**RemoteUrl** <https://github.com/gitronald/files>

**RemoteRef** HEAD

**RemoteSha** a08ca0cb33cb093d253194cceab1e19ef41ca4e1

## Contents

df . . . . .	1
lf . . . . .	2

<b>Index</b>	<b>3</b>
--------------	----------

---

df	<i>Describe Files</i>
----	-----------------------

---

## Description

Describe Files

**Usage**

```
df(dir = ".", all.files = TRUE, ...)
```

**Arguments**

<code>dir</code>	the directory containing the files to describe
<code>all.files</code>	logical, include hidden files and folders
<code>...</code>	additional arguments to pass to <code>list.files</code>

**Value**

A data.frame containing file information for all files in `dir`

**Examples**

```
df()
```

---

 lf

---

*Enhanced Working Directory View*


---

**Description**

Enhanced Working Directory View

**Usage**

```
lf(dir = ".", hidden.files = TRUE, hidden.dirs = FALSE, ...)
```

**Arguments**

<code>dir</code>	character, the directory in which to view files
<code>hidden.files</code>	logical, include hidden files
<code>hidden.dirs</code>	logical, include hidden directories
<code>...</code>	additional arguments to pass to <code>list.files</code> which this function is built around

**Value**

a data.frame of the directories and files names in presentation format

**Examples**

```
lf()
```

# Index

df, 1

lf, 2